

NORTH DAKOTA REGISTERED SERVICE COMPANIES LIQUID

CMS Petroleum Equipment Co. PO Box 85 Morris MN 56267	Phone: 320-589-9017 Fax: E-Mail: cmspetro@hotmail.com Web:
<input type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: <input checked="" type="checkbox"/> LPG <input checked="" type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

Crossroads Repair, LLC 8060 36 th St SE Jamestown ND 58401	Phone: 701-400-7299 Fax: E-Mail: jheidt@crossroadsrepair.com Web:
<input type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: 100 gpm <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: 100 gpm <input checked="" type="checkbox"/> LPG <input checked="" type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

Hobbs, Inc. 2389 Business Loop I-94 Mandan ND 58554	Phone: 701-663-6363 Fax 701-663-9220 E-Mail: mattw@hobbsinc.net Web:
---	---

- Retail Fuel (less than 20 gal. per minute)
- High Flow Retail Fuel (20 gal. per minute or greater)
- Vehicle Tank: Max Flow Rate: 100 gpm
- Stationary Bulk (fuel or oil): Max Flow Rate: 100 gpm
- LPG
- Stationary LPG
- Fertilizer: Max. Flow Rate:
- Chemical: Max. Flow Rate:
- Anhydrous
- Loading Rack
- Other:

JL Inspections LLC 704 Cobblestone Loop SW Mandan ND 58554	Phone: 701-391-2355 Fax: Email: jlevi50@yahoo.com Web:
--	--

- Retail Fuel (less than 20 gal. per minute)
- High Flow Retail Fuel (20 gal. per minute or greater)
- Vehicle Tank: Max Flow Rate: 500 gpm
- Stationary Bulk (fuel or oil): Max Flow Rate: 500 gpm
- LPG
- Stationary LPG
- Fertilizer: Max. Flow Rate: 500 gpm
- Chemical: Max. Flow Rate:
- Anhydrous
- Loading Rack
- Other:

Main Line Measurement LLC PO Box 4344 Minot ND 58702-4344	Phone: 337-936-1034 Fax: E-Mail: audie.pankhurst@gmail.com Web:
<input type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input type="checkbox"/> Vehicle Tank: Max Flow Rate: <input type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: <input type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input checked="" type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

Midwest Meter Prover's 2965 85 th Ave SE Jamestown ND 58401-9604	Phone: 701-320-3698 Fax: E-Mail: Web:
<input type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input type="checkbox"/> Vehicle Tank: Max Flow Rate: <input type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: <input type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input checked="" type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

Midwest Pump & Tank PO Box 2105 Aberdeen SD 57402-2105	Phone: 605-225-0577 Fax: 605-225-0516 E-Mail: mpt@midwestpump.com Web:
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: 60 <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: 60 <input type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

Northwest Tank & Environmental Services, Inc. 21120 State Route 9 SE Woodinville WA 98072	Phone: 425-742-9622 Fax: E-Mail: lgourlie@nwtank.com Web:
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input type="checkbox"/> Vehicle Tank: Max Flow Rate: <input type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: <input type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

O'Day Equipment, LLC 1301 40th St NW Fargo ND 58102	Phone: 701-282-9260 Fax: 701-281-9770 E-Mail: service@odayequipment.com Web: www.odayequipment.com
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: 100 gpm <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: 100 gpm <input checked="" type="checkbox"/> LPG <input checked="" type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

O'Day Equipment, LLC 635 31 st St SE Minot ND 58701	Phone: 701-852-3145 Fax: 701-852-6058 E-Mail: service@odayequipment.com Web: www.odayequipment.com
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: 100 gpm <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: 100 gpm <input checked="" type="checkbox"/> LPG <input checked="" type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

Premium Petroleum Services, LLC 4448 27 th St N Ste C Fargo ND 58102	Phone: 855-301-3835 Fax: E-Mail: james@premiumpetroleumservices.com Web:
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: <input type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

Quam Petroleum Service, Inc. 4720 Highway 6 Mandan ND 58554	Phone: 701-663-3732 Fax: 701-663-3650 E-Mail: jbigguy@ceas.coop Web:
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: <input type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input checked="" type="checkbox"/> Fertilizer: Max. Flow Rate: <input checked="" type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

R & R Petroleum Equipment Sales, Inc. 5115 County Road 81 N Fargo ND 58102	Phone: 701-293-1707 Fax: 701-293-0310 E-Mail: jschaefer@rrpetroleum.net Web:
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: <input type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

RJT Testing and Service, LLC 49134 150 th St Donnelly MN 56235	Phone: 320-288-6115 Fax: 320-589-4421 E-Mail: rjttesting2011@gmail.com Web:
<input type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: 100 gpm <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: 100 gpm <input checked="" type="checkbox"/> LPG <input checked="" type="checkbox"/> Stationary LPG <input checked="" type="checkbox"/> Fertilizer: Max. Flow Rate: 100 gpm <input checked="" type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

Reiter Oil & Gas, Inc. PO Box 2226 Minot ND 58702-2226	Phone: 701-839-6791 Fax: 701-838-4462 E-Mail: acreiter@srt.com Web:
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: 100 gpm <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: 100 gpm <input type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

Rollie's Sales and Service, Inc. PO Box E Osakis MN 56360	Phone: 320-859-4811 Fax: 320-859-3585 E-Mail: rolliessalesinc@gmail.com Web: www.rolliessales.com
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: 100 <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: 100 <input type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

Seneca Companies, Inc. 4140 E 14 th St Des Moines IA 50313	Phone: 515-262-5000 Fax: E-Mail: licensing@senecaco.com Web:
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input type="checkbox"/> Vehicle Tank: Max Flow Rate: <input type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: <input type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

Swansys – a Division of Minnesota Petroleum Service, Inc. 682 39 th Ave NE Columbia Heights MN 55421	Phone: 763-780-5191 Fax: 763-780-5472 E-Mail: service@mnpetro.com Web: www.swansys.net
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input type="checkbox"/> Vehicle Tank: Max Flow Rate: <input type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: <input type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

<p>T & T Measurements, LLP 10671 43rd St NW New Town ND 58763</p>	<p>Phone: 701-471-9319 Fax: E-Mail: john.dietrich81@gmail.com Web:</p>
<p><input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: 500 gpm <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: 500 gpm <input checked="" type="checkbox"/> LPG <input checked="" type="checkbox"/> Stationary LPG <input checked="" type="checkbox"/> Fertilizer: Max. Flow Rate: 500 gpm <input checked="" type="checkbox"/> Chemical: Max. Flow Rate: 100 gpm <input type="checkbox"/> Anhydrous <input checked="" type="checkbox"/> Loading Rack <input type="checkbox"/> Other:</p>	

<p>Valley Petroleum Equipment, Inc. 677 43rd St NW Fargo ND 58102-3980</p>	<p>Phone: 701-373-7806 Fax: 701-373-7807 E-Mail: kathy@valleypetroleum.com Web: www.valleypetroleum.com</p>
<p><input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: <input type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:</p>	

Valley Petroleum Equipment, Inc. PO Box 13355 Grand Forks ND 58208	Phone: 701-772-7261 Fax: 701-772-1301 E-Mail: kathy@valleypetroleum.com Web: www.valleypetroleum.com
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: <input type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

Westmor Fluid Solutions, LLC 14044 W Freeway Dr Columbus MN 55038	Phone: 763-571-8110 Fax: 763-571-1789 E-Mail: ryan.hartin@westmor-ind.com Web: www.westmor-ind.com
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: <input checked="" type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: <input checked="" type="checkbox"/> LPG <input checked="" type="checkbox"/> Stationary LPG <input checked="" type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input checked="" type="checkbox"/> Loading Rack <input checked="" type="checkbox"/> Other: Mass Meter	

Westmor Industries, LLC PO Box 683 Morris MN 56267-0683	Phone: 320-589-2100/1-800-992-8981 Fax: 320-589-2206 E-Mail: dispatches@westmor-ind.com Web: www.westmor-ind.com
<input checked="" type="checkbox"/> Retail Fuel (less than 20 gal. per minute) <input checked="" type="checkbox"/> High Flow Retail Fuel (20 gal. per minute or greater) <input checked="" type="checkbox"/> Vehicle Tank: Max Flow Rate: <input type="checkbox"/> Stationary Bulk (fuel or oil): Max Flow Rate: <input checked="" type="checkbox"/> LPG <input type="checkbox"/> Stationary LPG <input type="checkbox"/> Fertilizer: Max. Flow Rate: <input type="checkbox"/> Chemical: Max. Flow Rate: <input type="checkbox"/> Anhydrous <input type="checkbox"/> Loading Rack <input type="checkbox"/> Other:	

2/6/2024

For an updated list, see our website at:
www.psc.nd.gov/jurisdiction/weights/index.php